

Safety Data Sheet

Acrylic acid, contains 200ppm MEHQ as inhibitor

1. Identification

Product name: Acrylic acid, contains 200ppm MEHQ as inhibitor

Catalog#: MSI7023AF IUPAC name: Acrylic acid

Product use restrictions:

Only for research and development use by, or directly under the

supervision of, a technically qualified individual.

Company: MetaSci Inc.

1 Yonge St., Suite 1801

Toronto, M5E 1W7, ON, Canada

Telephone: (510) 429-8835 Website: www.metasci.ca

Emergency contact number: 1-800-633-8253 United States & Canada

1-801-629-0667 International

2. Hazard Identification

GHS Classification

Flammable liquids (Category 3)

Acute toxicity, Oral (Category 4)

Acute toxicity, Inhalation (Category 4)

Acute toxicity, Dermal (Category 4)

Skin corrosion (Category 1A)

Serious eye damage (Category 1)

Specific target organ toxicity - single exposure (Category 3), Respiratory system

Short-term (acute) aquatic hazard (Category 1)

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

Precautionary statement(s)



Safety Data Sheet

Acrylic acid, contains 200ppm MEHQ as inhibitor

P210	Keep away from heat/sparks/open flames/hot surfaces. No
	smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof
	electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye
	protection/face protection.
P301+P312+P330	If swallowed: Call a poison center or doctor if you feel
	unwell. Rinse mouth.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all
	contaminated clothing. Rinse skin with water/shower.
P304+P340+P310	IF INHALED: Remove victim to fresh air and keep at rest in
	a position comfortable for breathing. Immediately call a
	poison center or doctor.
P305+P351+P338+P310	If in eyes: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do.
	Continue rinsing. Immediately call a poison center or
	doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry sand, dry chemical, CO2, water
	spray or alcohol-resistant foam for extinction.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly
B.400 B005	closed.
P403+P235	Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste


disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS None

3. Composition/Information on Ingredients

Synonyms: No data available.

CAS#: 79-10-7 Purity: 98% (GC)



EC#: 201-177-9

4. First Aid Measures

General information: Immediately remove any clothing contaminated by the product. Move out of dangerous area. Consult a physician and show this safety data sheet.

Inhalation: Move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical aid.

Skin contact: Immediately flush skin with running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Obtain medical aid immediately. Eye contact: Immediately flush open eyes with running water for at least 15 minutes. Obtain medical aid immediately.

Ingestion: Do NOT induce vomiting without medical advice. Rinse mouth with water. Never administer anything by mouth to an unconscious person. Obtain medical aid immediately. Most important symptoms and effects, both acute and delayed: No further information available. Please see sections 2 and 11.

Indication of any immediate medical attention and special treatment needed: No further information available.

5. Fire Fighting Measures

Suitable extinguishing media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Specific hazards arising from the chemical: Carbon oxides

Advice for firefighters: As in any fire, wear a NIOSH-approved or equivalent, pressure-demand, self-contained breathing apparatus and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment and keep unprotected personnel away. Ensure adequate ventilation. Remove all sources of ignition. Prevent further leak or spill if safe to do so. For personal protective equipment, please refer to section 8.

Environmental precautions: Do not let product enter drains, other waterways, or soil.

Methods and materials for containment and cleaning up: Prevent further leak or spill if safe to do so. Vacuum, sweep up, or absorb with inert material and place into a suitable disposal container. Consult local regulations for disposal. See section 13 for further disposal information.

7. Handling and Storage

Precautions for safe handling: Avoid contact with skin, eyes, and personal clothing. Wash hands thoroughly after handling. Avoid breathing fumes. Use only with adequate ventilation. Wear suitable protective clothing, gloves, and eye/face protection. Keep away from sources of ignition. Minimize dust generation and accumulation. Keep container tightly closed. Open and handle container with care. Do not eat, drink, or smoke while handling.



Safety Data Sheet Acrylic acid, contains 200ppm MEHQ as inhibitor

Conditions for safe storage, including any incompatibilities: Store in a tightly-closed container when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from sources of ignition. Air sensitive. Hygroscopic. Recommended storage temperature: 2-8°C.

8. Exposure Controls/Personal Protection

Exposure limits

OSHA PEL: No data available. NIOSH REL: No data available. ACGIH TLV: No data available.

Appropriate engineering controls: Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product. Facilities storing or utilizing this material should be equipped with an eyewash fountain. Use adequate general and local exhaust ventilation to keep airborne concentrations low.

Personal protection

Eyes:

Hands:

Based on an evaluation of the eye or face hazards present, wear

chemical splash-resistant safety glasses or goggles with side

protection. A face shield may be appropriate in some workplaces.

Use eyewear tested and approved under appropriate government

standards such as OSHA 29 CFR 1910.133 or EU EN166. Wear gloves selected based on an evaluation of the possible

hazards to hands and skin, the duration of use, the physical

conditions of the workplace, and the chemical resistance and

physical properties of the glove material.

Protective clothing must be selected based on the hazards present

in the workplace, the physical environment, the duration of

Skin and body: exposure, and other factors. No fabric can provide protection

against all potential hazards; therefore it is important to select the appropriate protective clothing for each specific hazard. At the

minimum, wear a laboratory coat and close-toed footwear.

Respirators are not a substitute for accepted engineering control

measures such as enclosure or confinement of the operation, general and local ventilation, and substitution of less toxic

Respiratory: materials. When respiratory personal protective equipment is

appropriate based on an assessment of respiratory hazards in the

workplace, use a NIOSH- or CEN-certified respirator.

9. Physical and Chemical Properties

Physical State: Liquid
Molecular Formula: C3H4O2
Molecular Weight: 72.63

Odor: No data available. PH: No data available.

Boiling Point Range: 139°C



Safety Data Sheet

Acrylic acid, contains 200ppm MEHQ as inhibitor

Freezing/Melting Point: 13°C Flash Point: 46°C

Evaporation Rate: No data available.

Flammability (solid,

gas): Please see section 2.

Explosive limits:

Vapor Pressure:

Vapor Density:

No data available.

Relative Density: 1.051 Refractive Index: 1.49

Volatility: No data available. Auto-ignition

temperature:

No data available.

Decomposition

Temperature:
Partition Coefficient:
No data available.
No data available.

10. Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable under recommended temperatures and pressures.

Possibility of hazardous

Conditions to avoid:

reactions:

Dust generation. Air. Heat. Moisture and water.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

Carbon oxides

No data available.

11. Toxicological Information

RTECS#: AS4375000

Acute toxicity: LD50 Dermal: Rabbit - male - 1,000 mg/kg; Routes of exposure: Inhalation, eye contact, skin contact, ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

Skin contact may result in inflammation characterized by itching, scaling, reddening, blistering, pain or dryness. Eye contact may result in redness, pain or severe eye damage. Inhalation may cause irritation of the lungs and respiratory system. Overexposure may result in serious illness or death.

Carcinogenicity

IARC: Not classified.

NTP: Not listed.

OSHA: Not listed.

Acute toxic effects: Inflammation of the eye is characterized by redness, watering,

and itching. Skin inflammation is characterized by itching,

scaling, reddening, or, occasionally, blistering.



Safety Data Sheet Acrylic acid, contains 200ppm MEHQ as inhibitor

12. Ecological Information

Ecotoxicity: Toxicity to algae: NOEC - Chlorella vulgaris (Fresh water algae) -

0.2 mg/l - 72 h (OECD Test Guideline 201) IC50 - Desmodesmus subspicatus (green algae) - 0.13 mg/l - 72 h Remarks: (IUCLID) Toxicity to bacterial: EC5 - Pseudomonas putida - 41 mg/l - 16 h Remarks: (maximum permissible toxic concentration)(IUCLID) EC20 - activated sludge - 900 mg/l - 30 min (ISO 8192) Remarks:

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates: EC5 -

E.sulcatum - 20 mg/l - 72 h Remarks: (maximum permissible toxic concentration)(Lit.) EC50 - Daphnia magna (Water flea) - 47 mg/l -

48 h Remarks: (IUCLID)

Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - 27

mg/l - 96 h (OECD Test Guideline 203)

Persistence and

degradability:

Bioaccumulative

potential:

No data available.

No data available.

Mobility in soil:

Other adverse effects:

No data available.

No data available.

13. Disposal Considerations

Disposal of waste: Chemical waste generators must determine whether a discarded

chemical is classified as hazardous waste. US EPA guidelines for

the classification determination are listed in 40 CFR 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state and local regulations when

disposing of the substance.

Disposal of packaging: Do not reuse containers. Dispose of as unused product.

14. Transportation Information

DOT (United States)

UN number: UN2218

Proper shipping name: Acrylic acid, stabilized

Transport hazard class: 8 (3) Packing group: II

IATA

UN number: UN2218

Proper shipping name: Acrylic acid, stabilized

Transport hazard class: 8 (3) Packing group: II



Safety Data Sheet Acrylic acid, contains 200ppm MEHQ as inhibitor

15. Regulatory Information

TSCA Chemical Inventory:

This product is on the EPA Toxic Substance Control Act (TSCA) inventory. The product is supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR § 720 et seq. The health risks have not been fully determined. Any information that is or becomes available will be supplied on the SDS.

Canada This product is listed in the Domestic Substance List (DSL).

DSL/NDSL: California

Proposition 65:

Proposition 65:

NFPA Rating: Health: No data available. Flammability: No data available.

Instability: No data available.

16. Additional Information

Revision Date: 08/08/2019 Printed Date: 5/30/2023

Disclaimer:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall MetaSci be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if MetaSci has been advised of the possibility of such damages.